

EXAMPLS: OF: METAL: WORK
FOR: ECCLESIASTICAL: AND: DOMESTIC
USE: - IN: CAST: IRON. SECTION: N^o 1

MANUFACTURED: BY 
HART, SON, PEARD & CO

PRIZE MEDALS: LONDON: 1851 & 62: PARIS: 1855 & 67: DUBLIN: 1853 & 65
"FOR GREAT BEAUTY OF DESIGN & PERFECTION OF WORKMANSHIP"

JURORS' REPORT 1862.

53: 60: 58: WICH: S^e: ST RAND: W.C.
& DRURY: WORKS: DRURY: LANE. LONDON.
GROSVENOR: WORKS: & FOUNDERY: BIRMINGHAM.
GROSVENOR: S^e



TRADE MARK.

HART, SON, PEARD AND CO., will be much obliged by their Correspondents observing the following notes:—

To secure prompt attention, orders from parties not having a Ledger account, should be accompanied by a remittance for the value of the Goods, or a reference to a Banker, or to some established Business Firms in London. Commissions from abroad should be accompanied by a remittance, or order, payable in London, before shipment.

Cheques to be crossed "London and Westminster Bank," and Post Office Orders made payable at "Somerset House."

The number of the page, as well as the number attached to the Illustration of each article selected, should be specified when Goods are ordered from this Section.

Where a quantity of Goods of a similar description is required, a special quotation will be furnished on application.

Competent persons will, when requested, be sent to any part to take particulars and dimensions for, as well as to fix, work.

All Packages are delivered free to the care of the several Railway Companies and Carriers (and to the Docks if for shipment from the Port of London), when Senders' responsibility ceases, and beyond these no charges are paid.

In the event of Packages appearing, when delivered, to be in a damaged state, it is recommended that they be signed for as such, or as "not examined."

No claim on account of imperfect Goods will be entertained unless the particulars thereof are furnished within seven days from date of receipt.

Goods made to order are not returnable. Parties desirous of returning Goods selected from Stock, should submit a statement prior to doing so, when they will be informed whether any and what allowance can be made for same.

Packing Cases, when promptly returned, free of Carriage, are credited at two-thirds of the charge for same, but this allowance is made only upon their actual delivery.

MEDALS,
LONDON,
1851, 1862.

HART, SON, PEARD & CO., respectfully intimate that they issue the accompanying Illustrations of Cast Iron Work in obedience to the demand for this class of manufactures, for those positions and purposes where the use of Wrought Iron is precluded by its cost. By means of their own Foundry and Pattern Shop, they are now enabled to supply these goods at economical rates, and also to make, promptly, any kind of castings—requiring carefully prepared models—for which quotations will be given on receipt of specifications.

ILLUSTRATED CATALOGUE—SECTION I.—CAST IRON WORK.

INDEX.

	PAGE		PAGE		PAGE
Alphabets	31	Gates and Railing.	14—17	Rain-Water Heads	31
Altar Rail Standards	27	Gratings and Grills	18—20	Ridge Cresting	7—9
Balcony Railing	10—14	Grave Crosses	32	School Desk and Bench Standards	30
Balusters	24—26	Hinge Fronts	21—23	Staircase Work	24—26
Brattishing	7—9	Lamp-posts	28—29	Terminals	2, 3
Door Window Panels	20	Newels	24—26	Tomb Railing	10—14
Gable Crosses	4—6	Railing	10—17	Ventilating Panels.	18—20

H., S., P. & Co., will issue their New and Extensive Catalogue in the following Sections:—

- I. Gates, Railings, Crosses, &c., &c., and such Cast Iron Work as may be deemed Architectural accessories.
- II. The same general description of Goods, but of Wrought Iron.
- III. Mediæval Ironmongery,—Hinges, Locks, Handles, Bolts, Bell Pulls, &c., &c.
- IV. Fittings requisite for Lighting by means of Gas, Oil, and Candles.
- V. Ecclesiastical Furniture, Church Plate, Monumental, Mural, and other Brasses.
- VI. Stoves, Fenders, and Domestic Furniture generally.

MEDALS,
PARIS,
1855, 1867.

LONDON :

TRADE-MARK




WAREHOUSES AND SHOW-ROOMS, 53 to 58, and No. 10, WYCH STREET.
COUNTING HOUSE, 55, WYCH STREET, STRAND, W.C.
FACTORY—DRURY WORKS—entrance, 91, DRURY LANE, W.C.
West-End SHOW ROOMS, 168, REGENT STREET, W.

BIRMINGHAM :

GROSVENOR WORKS and FOUNDERY,
GROSVENOR STREET.

April, 1876.



TERMINALS.

No.		Height. ft. in.	Primed.			Decorated.		
			£	s.	d.	£	s.	d.
No. 104	flat ...	1 4	2	3	each.	4	0	each.
„ 104	flat	2 0	5	0	„	8	6	„
„ 104	4 way.....	2 0	7	6	„	12	6	„
„ 111	flat.....	1 4	2	0	„	3	6	„
„ 113	flat.....	3 0	10	6	„	18	0	„
„ 113	4 way.....	3 0	16	0	„	1	6	6
„ 114	flat	1 0	1	6	„	2	3	„
„ 115	flat	3 0	7	6	„	12	6	„
„ 116	flat.....	1 10	3	6	„	5	6	„
„ 117	flat.....	4 0	18	0	„	1	7	0
„ 118	flat.....	2 0	4	0	„	6	0	„
„ 120	flat.....	0 11	1	3	„	2	0	„
„ 121	flat.....	1 4	3	0	„	5	0	„
„ 122	flat.....	4 3	1	0	0	1	10	0
„ 122	4 way.....	4 3	1	12	6	2	8	0
„ 124	flat.....	2 2	5	0	„	8	6	„
„ 126	4 way.....	4 0	1	10	0	2	5	0
„ 130	flat.....	1 9	3	6	„	5	0	„
„ 140	flat.....	3 3	13	6	„	1	1	0
„ 140	4 way ...	3 6	18	0	„	1	7	0
„ 145	flat.....	4 0	18	0	„	1	10	0

The above prices include caulking, cast on, for setting in stone, or screw points for fixing into wood.

Bolt rods, with screw and nut, are charged extra.

With each order, the method of fixing required should be distinctly stated.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET. W.C.. LONDON.

TERMINALS.

No.		Height. ft. in.	Primed.			Decorated.		
			£	s.	d.	£	s.	d.
No. 101	flat	2 0 ...	5	6	each.	10	6	each
„ 101	3 way	2 0 ...	8	6	„	15	0	„
„ 102	flat	2 4 ...	7	0	„	11	6	„
„ 102	flat	3 6 ...	13	0	„	1	0	0 „
„ 103	flat	2 3 ...	6	0	„	11	0	„
„ 105	flat	2 3 ...	6	0	„	9	6	„
„ 106	flat	1 10 ...	5	6	„	8	0	„
„ 107	flat	2 9 ...	7	6	„	12	0	„
„ 107	4 way	2 9 ...	13	6	„	1	0	0 „
„ 108	flat	3 0 ...	10	0	„	14	6	„
„ 108	4 way	3 0 ...	15	0	„	1	2	0 „
„ 109	flat	4 6 ...	1	18	0 „	2	0	0 „
„ 109	{ without base stays }	4 6 ...	1	5	0 „	1	13	0 „
„ 110	flat	5 3 ...	1	5	0 „	2	0	0 „
„ 112	flat	2 3 ...	5	6	„	9	6	„
„ 119	flat	3 0 ...	7	6	„	12	6	„
„ 123	4 way	3 6 ...	1	0	0 „	1	12	6 „
„ 125	flat	2 6 ...	4	6	„	7	0	„


The above prices include caulkings, cast on, for setting in stone, or screw points for fixing into wood.

Bolt rods, with screw and nut, are charged extra.

With each order, the method of fixing required should be distinctly stated.



HART, SON, PEARD AND CO., GROSVENOR FOUNDRY, GROSVENOR ST., BIRMINGHAM.



GABLE CROSSES.

No.		Height.		Primed.			Decorated.				
		ft.	in.	£	s.	d.	£	s.	d.		
No. 202	2	6	...	6	6	each.	10	6	each.	
" 203	3	0	...	11	6	"	17	0	"	
" 206	2	8	...	6	0	"	10	6	"	
" 210	3	0	...	13	0	"	16	6	"	
" 215	2	8	...	7	6	"	10	6	"	
" 216	3	4	...	15	0	"	1	1	0	
" 217	3	0	...	8	0	"	10	6	"	
" 218	2	6	...	8	0	"	10	6	"	
" 224	3	3	...	15	6	"	1	1	0	
" 226	5	6	...	1	13	0	"	2	6	0

The above prices include caulking, cast on, for setting in stone, or screw points for fixing into wood.

Bolt rods, with screw and nut, are charged extra.

With each order, the method of fixing required should be distinctly stated.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.




GABLE CROSSES.

No.	Height. ft. in.	Primed.			Decorated.		
		£	s.	d.	£	s.	d.
No. 204	3 8 ...	1	1	0 each.	1	7	6 each
" 207	2 10 ...	11	6	"	17	0	"
" 212	3 2 ...	12	6	"	19	0	"
" 213	5 0 ...	1	15	0 "	2	3	0 "
" 214	2 10 ...	10	0	"	14	0	"
" 219	3 0 ...	10	0	"	14	6	"
" 222	2 10 ...	12	0	"	16	6	"
" 223	3 4 ...	15	0	"	1	2	0 "
" 225	3 3 ...	17	6	"	1	5	0 "






The above prices include caulking, cast on, for setting in stone, or screw points for fixing into wood.

Bolt rod, with screw and nut, are charged extra.

With each order, the method of fixing required should be distinctly stated.



HART, SON, PEARD AND CO., GROSVENOR FOUNDRY, GROSVENOR ST., BIRMINGHAM.



GABLE CROSSES.

No.	Height. ft. in.	Primed.			Decorated.		
		£	s.	d.	£	s.	d.
No. 205	3 6 ...	16	6	each.	1	1	0 each.
„ 208	4 6 ...	1	5	0	1	12	6 „
„ 209	4 0 ...	17	6	„	1	2	6 „
„ 211	5 4 ...	4	10	0	15	0	„
„ 220	3 8 ...	15	0	„	1	0	0 „
„ 221	4 6 ...	17	6	„	1	2	6 „

The above prices include caulking, cast on, for setting in stone, or screw points for fixing into wood.

Bolt rods, with screw and-nut, are charged extra.

With each order, the method of fixing required should be distinctly stated.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET. W.C.. LONDON.


RIDGE CRESTING.

No.	Height. ft. in.	Prined. s. d.	Decorated. s. d.
No. 401 ...	0 6 ...	1 4	per foot. 2 0 per foot.
„ 401 ...	0 9 ...	1 9	„ 2 6 „
„ 401 ...	1 2 ...	2 0	„ 3 0 „
„ 403 ...	0 10 ...	2 0	„ 3 0 „
„ 403 ...	1 2 ...	3 9	„ 4 9 „
„ 404 ...	1 0 ...	3 6	„ 4 6 „
„ 405 ...	0 10 ...	2 6	„ 3 6 „
„ 406 ...	0 9 ...	3 0	„ 3 9 „
„ 407 ...	0 10 ...	3 0	„ 4 0 „
„ 408 ...	0 10 ...	3 2	„ 4 3 „
„ 409 ...	0 10 ...	3 0	„ 4 0 „
„ 410 ...	1 2 ...	2 9	„
„ 413 ...	0 8 ...	1 10	„ 3 0 „
„ 414 ...	1 1 ...	2 3	„
„ 416 ...	1 5 ...	4 9	„ 6 6 „
„ 418 ...	0 9 ...	1 9	„ 2 3 „
„ 425 ...	1 0 ...	3 0	„ 4 3 „
„ 426 ...	0 7 ...	1 6	„ 2 3 „
„ 434 ..	1 2 ...	4 0	„ 5 9 „













The above prices include the drilling of holes in flanges, or spur feet of Standards, for fixing to wood-work, but not screws; and, when for fixing on stone copings or sills, caulking will be cast on, if required.

Rod bolts, with screw and nut, for fixing *through* ridge or curb, are charged extra—according to size, length, and quantity.

Short lengths and cutting, extra.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



RIDGE CRESTING.

	Height.	Primed.	Decorated.
	ft. in.	s. d.	s. d.
No. 402 ...	1 6	4 6 per foot.	6 0 per foot.
„ 412 ...	1 10	5 3	„
„ 415 ...	0 10	2 0	3 0 „
„ 417 ...	1 0	2 6	3 0 „
„ 419 ...	1 0	3 3	4 6 „
„ 420 ...	0 10	2 10	4 0 „
„ 427 ...	1 8	3 9	5 6 „
„ 431 ...	0 10	4 0	5 6 „
„ 432 ...	1 11	6 0	8 6 „

CRESTING WITH
WROUGHT IRON RAILS.

No. 411 ...	1 9	6 9	8 6 „
„ 421 ...	1 7	5 6	7 3 „
„ 422 ...	1 7	5 6	„
„ 428 ...	1 0	3 6	4 6 „

ORNAMENTAL
CAST IRON RIDGING.

No. 431 ...	3 3	„
„ 432 ...	4 6	„

The above prices include the drilling of holes in flanges, or spur feet of Standards, for fixing to wood-work,—but not screws; and, when for fixing on stone copings or sills, caulkings will be cast on, if required.

Rod bolts, with screw and nut, for fixing *through* ridge or curb, are charged extra—according to size length, and quantity.

Short lengths, and cutting, extra.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.

RIDGE CRESTING.

No.		Height.			Primed.			Decorated.	
		ft.	in.		s.	d.		s.	d.
No. 423	...	1	9	...	5	6	per foot.	7	6
„ 424	...	2	3	...	7	0	„	10	0
„ 429	...	1	4	...	4	0	„	5	9
„ 430	...	1	8	...	3	9	„	5	0
„ 433	...	2	0	...	6	6	„	9	0
„ 435	...	1	4	...	4	9	„	7	0
„ 451	...	1	10	...	6	0	„	8	0
„ 452	...	1	6	...	3	0	„	4	6
„ 453	...	2	3	...	6	0	„	8	6








ORNAMENTAL
CAST IRON RIDGING.

„ 435 ... 5 0 „










The above prices include the drilling of holes in flanges, or spur feet of Standards, for fixing to wood-work,—but not screws; and, when for fixing on stone copings or sills, caulking will be cast on, if required.

Rod bolts, with screw and nut, for fixing *through* ridge or curb, are charged extra—according to size, length, and quantity.

Short lengths, and cutting, extra.



HART, SON. PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



BALCONY AND TOMB RAILING.

No.	Height. ft. in.	Primed.		Decorated.	
		s.	d.	s.	d.
No. 102 ...	2 0 ...	6	6 per foot.	9	0 per foot.
" 103 ...	2 0 ...	7	0 "	10	0 "
" 104 ...	1 11 ..	6	6 "	9	0 "
" 105 ...	1 7 ...	4	3 "	6	0 "
" 110 {	2 6 wrought rails }	9	6 "	12	6 "
" 111 {	1 4 wrought rails }	5	6 "	8	6 "
" 112 ...	2 6 ...	7	0 "	9	0 "
" 113 {	1 6 wrought rails }	7	6 "	9	3 "
" 122 ...	2 3 ...	12	6 "	16	0 "

Angle standards and stays are not included in the above prices, but upon dimensions and particulars being furnished of what is required, a total estimate will be given.

For making short lengths, should the models require alteration, as well as for cutting to cants, there will be an extra charge.











HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET. W.C.. LONDON.

BALCONY AND TOMB RAILING.










No.	Height. ft. in.	Primed. s. d.	Decorated. s. d.
No. 101	... 1 6 ...	3 3 per ft.	5 6 per ft.
" 106	... 2 2 ...	16 0 "	19 0 "
" 109	{ ... 2 8 ... wrought rails Standards 3 ft. 6 in. apart ... }	6 6 "	9 0 "
" 114	... 1 10 ...	8 0 "	11 0 "
" 115	... 2 0 ...	7 0 "	9 0 "
" 119	... 2 3 ...	9 0 "	12 6 "
" 120	... 2 2 ...	5 9 "	8 0 "
" 121	{ ... 1 4 ... wrought rails }	3 3 "	5 0 "
" 121	... 1 6 "	3 6 "	5 3 "
" 121	... 1 8 "	3 0 "	4 6 "
" 123	... 2 0 ...	6 6 "	8 6 "
" 124	... 2 0 ...	7 6 "	11 6 "

Angle standards and stays are not included in the above prices, but upon dimensions and particulars being furnished of what is required, a total estimate will be given.

For making short lengths, should the models require alteration, as well as for cutting to cants, there will be an extra charge.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



BALCONY AND TOMB RAILING.

No.		Height.		Primed.		Decorated.	
		ft.	in.	s.	d.	s.	d.
No. 107	...	1	8	...	5 9	per foot.	7 6 per foot.
„ 108	...	3	4	...	14 0	„	
„ 125	...	2	8	...	5 6	„	7 9 „
„ 126	...	3	6	...	11 0	„	15 6 „
„ 127	...	3	0	...	9 0	„	12 0 „
„ 128	...	2	2	...	5 6	„	8 0 „
„ 129	...	3	0	...	6 6	„	
„ 133	...	3	0	...	8 6	„	
„ 139	{ ... 2 6 ... }				6 6	„	8 6 „
	{ wrought rails }						

Angle standards and stays are not included in the above prices, but upon dimensions and particulars being furnished of what is required, a total estimate will be given.

For making short lengths, should the models require alteration, as well as for cutting to cants, there will be an extra charge.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.









BALCONY & TOMB RAILING.

No.		Height.			Primed.		Decorated.		pr. ft
		ft.	in.		s.	d.	s.	d.	
No. 116	...	2	4	...	8	6	pr. ft.		
„ 116	{ ... 3 6 ... }				13	0	„		
	upper panel twice								
„ 117	...	2	0	...	7	6	„	9 6	„
„ 118	{ ... 3 6 ... }				9	6	„		
	wrought rails								
„ 130	{ ... 3 4 ... }				9	0	„	11 0	„
	wrought top rail								
„ 131	...	3	4	...	13	6	„		
„ 132	{ ... *2 6 ... }				8	0	„	10 0	„
	wrought rails								
„ 134	...	2	4	...	9	0	„	12 6	„
„ 156	...	2	2	...	7	6	„	10 0	„
„ 166	...	2	4	...	10	0	„	13 0	„

• Drawn to 3/4-inch Scale


Angle standards and stays are not included in the above prices, but upon dimensions and particulars being furnished of what is required, a total estimate will be given.

For making short lengths, should the models require alteration, as well as for cutting to cants, there will be an extra charge.



HART, SON. PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.

E



TOMB AND STREET RAILING.

No.	Height, ft. in.		Primed.		Decorated.	
			s.	d.	s.	d.
No. 135 ...	1 10	{ wrought rails. Standards 2ft. 6in. apart ... }	3	0 per ft.	4	6 per ft.
" 135 ...	2 2	{ wrought rails. Standards 2ft. 6in. apart ... }	3	3 "	4	9 "
" 136 ..	2 3	{ wrought rails. Standards 3ft. apart ... }	3	9 "	5	0 "
" 138 ...	2 0	{ wrought rails. Standards 4ft. apart... }	3	0 "	4	0 "
" 138 ...	2 6	{ wrought rails. Standards 4ft. apart ... }	3	6 "	4	3 "
" 140 ...	2 3	{ wrought rails. Standards 3ft. 6in. apart ... }	4	9 "	5	9 "
" 141 ...	2 0	{ wrought top rail }	8	6 "	12	0 "
" 142 ...	2 6	10	0 "	14	6 "
" 145 ...	5 3	16	6 "		
" 145 ...	4 0	rin. scale ...	12	6 "		
Standards at intervals 25s. and 15s. each extra respectively.						
" 146 ...	5 3	11	6 per foot.		
Standards at intervals 15s. each extra.						

Gates—prices of, to correspond with Railing, Nos. 145 and 146, on application.

Back Stays, Ramps, and Curves, when required to Railing, are extra.






HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET, W.C., LONDON.

STREET RAILING AND GATES.


No.	Height. ft. in.		Primed. £ s. d.	
137...4	6	Standards 5ft. 6in. apart ...	14	0 per foot.
" 143...3	0	two wrought rails	6	0 "
" 143...3	9	" "	7	0 "
" 143...3	0	top rail only	5	0 "
" 144...3	6	one wrought rail	5	6 "
" 144...4	3	two " "	6	6 "
GATES— " 313...4	3	for 7ft. 6in. opening ...	8	10 0 per pair.
" 313...4	3	for 9ft. 6in. opening ...	10	10 0 "
RAILING—as 313...4	3	Standards 5ft. apart	12	0 per foot.
" 313...2	6	Standards 5ft. apart, upper panel and plate rail only	7	0 "
GATES— " 316...5	6	for 7ft. 6in. opening ...	11	0 0 per pair.
" 316...5	6	for 8ft. 9in. opening ...	14	0 0 "
" 316...5	6	for 4ft. 6in. opening ...	7	7 0 each.
RAILING— 316...3	6	Standards 4ft. apart, two upper panels and plate rail only	16	0 per foot.
GATES— " 317...5	9	for 8 ft. opening	12	10 0 per pair.
" 317...5	9	for 10ft. 6in. opening ...	16	10 0 "

Back Stays, Ramps, and Curves, when required to Railing, are extra.

The Gates are fitted with good Locks, Handles, Bolts, Stops, and Hangings, for brick or stone piers.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



STREET RAILING AND GATES.

No.	Height. ft. in.		Primed.		
			£	s.	d.
No. 147...3	8	Standards 7 ft. apart, two wrought rails	8	6	per foot.
„ 147...4	4	ditto ditto	10	0	„
„ 148...3	0	wrought top rail	11	6	„
„ 151...5	3	1	0	„
GATES— „ 301...5	3	{ for 4 ft. 6 in. opening ... }	7	0	0 each.
„ 301...5	3	„ 8 ft. 3 in. „	13	0	0 per pair.
„ 302...5	3	„ 4 ft. 8 in. „	10	0	0 each.
„ 302...5	3	„ 8 ft. 8 in. „	18	10	0 per pair.
RAILING— „ 152...5	3	1	15	0 per foot.
„ 153...4	2	{ Standards 3 ft. 10 in. apart... }	11	6	„
„ 153...3	8	{ Standards 3 ft. 10 in. apart, one row of quarterfoils ... }	10	0	„
„ 153...2	0	{ Standards 3 ft. 10 in. apart, no quarterfoils ... }	8	6	„

Back Stays, Ramps, and Curves, when required to Railing, are extra.

The Gates are fitted with good Locks, Handles, Bolts, Stops, and Hangings, for brick or stone piers.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.






STREET RAILING AND GATES.

No.	Height. ft. in.		Primed. £ s. d.	
No. 149...5	6	{ Standards 4ft. 9in. apart ... }	13 0	per foot.
„ 149...3	3	„ „	9 6	„
„ 150...3	3	{ Standards 4ft. apart ... }	10 0	„
„ 154 *6	0	{ Standards 6ft. apart ... }	14 0	„
„ 155...4	0	{ Standards 4ft. apart ... }	10 6	„
GATES — „ 304...4	9	{ for 4ft. 6in. opening ... }	5 5	0 each.
„ 304...4	9	for 6ft. 6in opening	8 0 0	per pair.
„ 304...4	9	„ 8ft. 6in. „	10 0 0	„
RAILING— 304...2	9	as upper part of gate	8 6	per foot.


* Drawn to 1/2 in. scale.

Back Stays, Ramps, and Curves, when required to Railing, are extra

The Gates are fitted with good Locks, Handles, Bolts, Stops, and Hangings, for brick or stone piers.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.

FLOOR, WALL, AND CEILING
GRATINGS.

No.	1.	...	38 inches	X	8 inches.	Primed.	
								s.	d.
	2.	...	19	X	10 $\frac{1}{2}$	4	6
	3.	...	32	X	23	16	6
	4.	...	6	X	6	1	0
	4.	...	9	X	6	1	9
	5.	...	34	X	6	4	6
	5.	...	20	X	6	3	0
	6.		5	wide	...	0	9 per ft.
	9.	...	12	X	7	1	6 each.
	10.	...	17	X	6 $\frac{1}{2}$	2	0
	11.	...	15	X	5	2	6
	13.	...	12	X	12	3	6
	13.	...	24	X	12	6	0
	14.	...	12	X	12	3	0
	15.	...	17	X	9	3	0
	16.	...	16	X	8 $\frac{1}{2}$	3	0
	16.		8 $\frac{1}{2}$	wide	...	2	3 per ft.


Special quotations for quantities of hot water pipe and any other kind of gratings; also for brass or bronze gratings of above designs.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.


FLOOR, WALL, AND CEILING
GRATINGS.

No.	7.	...	Size,	...	Primed,	...
			s. d.			
			10 1/2 inches X 10 1/2 inches	...	2 9 each	
	8	...	12 " X 12 "	...	3 0 "	
	12	...	13 1/2 " X 5 "	...	1 0 "	
	17.	...	8 1/2 " wide	2 6 per ft		
	18.	...	8 " "	2 3 "		
	19.	...	30 " X 12 "	...	7 6 each.	
	20.	...	30 " X 15 "	...	10 6 "	
	21.	...	26 " X 16 "	...	9 0 "	
	22.	...	24 " X 12 "	...	4 6 "	
	22.	...	12 " wide	2 9 per ft		
	22.	...	8 " "	1 10 "		
	23.	...	27 " X 16 "	...	10 0 each.	
	23.	...	11 " wide	2 6 per ft.		
	24.	...	30 " X 9 "	...	6 0 each.	
	24.	...	9 " wide	2 4 per ft.		
	25.	...	42 " X 42 "	...	30 0 each.	
	26.	...	13 " X 24 "	...	13 6 "	
	26.	...	9 " wide	2 6 per ft.		

Special quotations for quantities of hot water pipe and any other kind of gratings; also for brass or bronze gratings of above designs.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



WINDOW, DOOR, AND GATE PANELS.


No.	Size.	Primed. s. d.
No. 30. ...	60 inches X 12 inches	... 15 0 each.
„ 31. ...	43 „ X 11 „	... 12 0 „
„ 32. ...	31 „ X 6 „	... 3 6 „
„ 33. ...	36 „ X 11 „	... 4 6 „
„ 33. ...	47 „ X 11 „	... 6 0 „
„ 33. ...	58 „ X 11 „	... 7 6 „
„ 34. ...	27 „ X 32 „	... 10 0 „
„ 35. ...	26 „ X 26 „	... 8 6 „
„ 36. ...	60 „ semi	... 38 0 „
„ 36. ...	60 „ circle	... 70 0 „
„ 37. ...	24 „ X 12 „	... 4 6 „
„ 38. ...	28 „ X 16 „	... 8 0 „
„ 39. ...	38 „ X 16 „	... 10 6 „
„ 40. ...	37 „ X 18 „	... 14 0 „
„ 41. ...	24 „ X 24 „	... 14 0 „
„ 42. ...	17 „ high	... 5 0 per ft.
„ 43. ...	24 „ X 11 „	... 7 6 each.
„ 44. ...	19 „ high	... 5 0 per ft.
„ 45. ...	26 „ „	... 6 0 „
„ 46. ...	18 „ X 18 „	... 9 0 each.
„ 47. ...	20 „ X 12 „	... 5 6 „

For wrought iron grilles see pp. 53 to 57.


HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET, W.C., LONDON.

HINGE FRONTS.

No.		Sizes.		Berlin Black.	d.
87.	...	28 inches	× 23 inches	...	8 0 per pair
" 88.	...	24 "	× 17 "	...	8 0 "
" 89.	...	25 "	× 15 "	...	8 0 "
" 90.	...	27 "	× 14 "	...	4 0 "
" 101.	...	20 "	× 17 "	...	3 9 "
" 101.	...	24 "	× 18 "	...	4 6 "
" 103.	...	15 "	× 12 "	...	3 6 "
" 103.	...	24 "	× 12 "	...	5 0 "
" 105.	...	18 "	× 9 "	...	2 6 "
" 106.	...	24 "	× 19 "	...	8 0 "
" 106.	...	30 "	× 23 "	...	10 6 "
" 107.	...	27 "	× 18 "	...	7 0 "
" 109.	...	24 "	× 9 "	...	3 6 "
" 113.	...	34 "	× 23 "	...	11 6 "
" 120.	...	22 "	× 21 "	...	6 0 "
" 121.	...	27 "	× 12 "	...	4 0 "
" 123.	...	28 "	× 25 "	...	12 0 "
" 124.	...	23 "	× 20 "	...	6 6 "
" 134.	...	34 "	× 42 "	...	20 0 "
" 134.	{foliated point only}	24 "	× 15 "	...	5 0 "
" 135.	...	32 "	× 23 "	...	9 6 "
" 143.	...	21 "	× 16 "	...	4 0 "
" 144.	...	36 "	× 32 "	...	15 0 "
" 144.	{without wings}	28 "	× 16 "	...	6 0 "
" 145.	...	23 "	× 14 "	...	5 0 "
" 145.	...	27 "	× 14 "	...	5 6 "



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



HINGE FRONTS.


No. 1.	Sizes.	Berlin Black.
...	18 in.	... 1 8 per pr.
2.	25 "	... 2 6 "
3.	21 "	... 2 0 "
4.	27 "	... 2 8 "
5.	24 "	... 2 8 "
6.	24 "	... 3 0 "
7.	30 " X 11 in.	... 5 0 "
8.	28 " X 15 "	... 6 0 "
10.	16 " X 10 "	... 2 4 "
11.	20 " X 22 "	... 4 9 "
12.	24 " X 24 "	... 5 6 "
14.	30 " X 30 "	... 8 6 "
19. as 14	24 " X 24 "	... 7 0 "
18.	43 " X 35 "	... 13 0 "
15.	25 " X 8 "	... 3 4 "
22.	30 " X 6 "	... 3 2 "
23.	24 " X 17 "	... 4 6 "
33.	33 " X 22 "	... 10 6 "
34.	18 " X 9 "	... 3 6 "
40.	22 " X 24 "	... 9 0 "
35. { as strap of 40 }	22 " X 5 "	... 3 0 "
37. { do and front scrolls }	22 " X 11 "	... 4 0 "
43.	23 " X 12 "	... 4 8 "
45.	20 " X 10 "	... 4 0 "
46.	28 " X 4 "	... 3 6 "
47.	26 " X 13 "	... 4 6 "

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.


HINGE FRONTS.

No.	13.	...	Sizes.	...	Berth. Black.	...
			30 in. X 16 in.		5	0 per pair
"	32.	...	28 " X 27 "	...	7	6 "
"	41.	...	27 " X 9 "	...	3	6 "
"	42.	...	24 " X 23 "	...	9	0 "
"	44.	...	27 " X 26 "	...	10	6 "
"	48.	...	30 " X 15 "	...	5	6 "
"	49.	...	30 " X 22 "	...	10	6 "
"	50.	...	30 " X 37 "	...	12	0 "
"	51.	...	27 " X 14 "	...	4	6 "
"	52.	...	30 " X 15 "	...	7	0 "
"	83.	...	36 " X 20 "	...	12	0 "
"	85.	...	18 " X 15 "	...	4	0 "
"	84. as 85	...	22 " X 21 "	...	5	6 "
"	86.	...	29 " X 15 "	...	6	0 "

All Hinge Fronts are priced exclusive of screws; octagon and other ornamental headed screws at from 9d. per dozen. Round headed ditto from 3d. per dozen.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



BALUSTERS.

No.		Primed.		Decorated.	
		s.	d.	s.	d.
1.	...	5	6 each.	9	0 each.
2.	...	5	6	8	6
3.	...	4	6	7	6
4.	...	12	0	16	6
11.	...	4	6	7	6
13.	...	11	0	16	0
14.	...	5	6	8	6
15.	...	11	0	17	6
16.	...	11	0	15	0
17.	panel	7	0	10	6
17.	bar	2	9	4	6
18.	...	9	0	14	0
19.	...	12	6	17	6

NEWELS.

No. 36.	...	27	6	...	37	6
37.	...	25	0	...	35	0

Brackets, risers, and tread for wrought iron string bars, (A A)—to order.

Balusters are cast for letting into wood and stone treads, and with wires for core rail. If with caulking and plates for ends of steps, from 6d. to 1s. each extra.

Alteration of models for ramps, winders, and irregular lengths extra.

The rise and going of stairs, for which Balusters are required, should always be given with the order; also whether to be fixed on wood or stone treads, or string.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET, W.C., LONDON

BALUSTERS.

No.		Primed.		Decorated.	
		s.	d.	s.	d.
No. 5.	...	12	0 each.	18	0 each.
" 7.	...	9	0 "	13	6 "
" 20.	...	16	0 "	28	0 "
" 21.	...	9	6 "	14	0 "
" 22.	...	12	0 "	18	0 "
" 23.	...	3	6 "	5	6 "

NEWELS.

No. 38.	...	40	0 "	...	"
" 39.	...	25	0 "	...	33 0 "
" 40.	...	24	0 "	...	34 0 "
" 41.	...	23	0 "	...	28 6 "
" 42.	...	23	0 "	...	32 0 "
" 43.	...	27	6 "	...	35 0 "

Brackets, risers, and treads for wrought string bars.


B { Prices, on application, giving
C { particulars of requirement.

Circular staircases; prices according to radius and light.


Balusters are cast for letting into wood and stone treads, and with wires for core rail. If with caulking and plates for ends of steps, from 6d. to 1s. each extra.

Alteration of models for ramps, winders, and irregular lengths extra.

The rise and going of stairs, for which balusters are required, should always be given with the order; also whether to be fixed on wood or stone treads, or string.



HART, SON, PEARD AND CO., GROSVENOR FOUNDRY, GROSVENOR ST., BIRMINGHAM.



BALUSTERS.

No.		Primed.		Decorated.	
		s.	d.	s.	d.
No. 6.	...	9	0 each.	14	0 each
„ 8.	...	2	3 „	3	6 „
„ 9.	...	5	6 „	9	0 „
„ 10.	...	4	9 „	6	6 „
„ 12.	...	10	0 „	16	0 „
„ 24.	...	5	6 „	8	6 „
„ 25.	...	12	0 „	22	0 „

NEWELS.

No. 31.	...	5	6 „	7	6 „
„ 32.	...	7	6 „	11	0 „
„ 33.	...	26	0 „	33	0 „
„ 34.	...	30	0 „	38	0 „
„ 35.	...	28	0 „	35	0 „

STANDARDS FOR LINE.

No. 44.	...	4	6 „	7	0 „
„ 45.	...	3	6 „	6	0 „
„ 46.	...	4	0 „	6	6 „

Cast "area" strings, with risers, treads and landing complete to order.

Balusters are cast for letting into wood and stone treads, and with wires for core rail. If with caulking and plates for ends of steps, from 6d. to 1s. each extra.

Alteration of models for ramps, winders, and irregular lengths extra.

The rise and going of stairs, for which balusters are required, should always be given with the order; also whether to be fixed on wood or stone treads, or string.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.

COMMUNION RAIL STANDARDS.

No. 47. { 21in. or 24in. high }		Primed. s. d.		Decorated. s. d.	
		10	0 each.	...	14 0 each.
" 51.	"	10	6 "	...	16 6 "
" 52.	"	10	0 "	...	15 0 "
" 53.	"	11	0 "	...	15 0 "
" 54.	"	11	6 "	...	16 0 "
" 55.	"	10	6 "	...	17 0 "
" 56.	"	12	0 "	...	18 0 "
" 57.	"	13	0 "	...	18 0 "
" 58.	"	15	0 "	...	22 0 "

All the above are made with caulking for setting in stone, or ears on bases drilled for screwing to wood floor, and with short length or core, drilled, for fixing to wood rail.

If 2ft. 3in. high, 1s. od. each more.






If 2ft. 6in. " 1s. 6d. " "

Moulded wood hand rail, or capping,


at from 3s. od. per foot.

" polished brass " 7s. 6d. "

Circular do. with telescopic slide bars to order.



HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



LAMP POSTS.

For setting on stone bases, dwarf walls, or gate piers.

No.	1.	...	4ft. 0in.	...	Height.			Primed.		
					£	s.	d.	£	s.	d.
	1.	...	4ft. 0in.	...	1	15	0	each.		
	4.	...	8 " 6 "	...	3	0	0	"		
	9.	...	4 " 3 "	...	1	18	0	"		
	10.	...	5 " 0 "	...	2	7	0	"		
	11.	...	3 " 0 "	...	1	2	6	"		
	13.	...	8 " 9 "	...	3	0	0	"		
	16.	...	6 " 6 "	...	2	15	0	"		
	18.	...	2 " 0 "	...	1	15	0	"		

Stays, scrolls, and frames to carry lanterns, and ladder bars, are not included in above prices, unless shown in the engraving.

Suitable lanterns for any of the above to order.

COLUMNS.

No.	22.	...	8ft. 6in.	...	Height.			Primed.		
					£	s.	d.	£	s.	d.
	22.	...	8ft. 6in.	...	2	5	0	each.		
	23.	...	9 " 0 "	...	1	17	6	"		

Other patterns on hand; designs submitted on receiving particulars as to height, load to be carried, &c.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET, W.C., LONDON

LAMP POSTS.

For setting into ground, &c.


No.	Height.	£	s.	d.
5.	6ft 6in.	1	13	0 each.
" 8.	10 " 6 "	3	15	0 "
" 12.	2 " 9 "	1	0	0 "
" 14.	{ 10ft. 6in. complete }	8	0	0 "
" 14.	{ without lantern }	5	5	0 "
" 15.	{ 10ft. 6in. complete }	8	15	0 "
" 15.	{ without lantern }	5	10	0 "
" 17.	2 6 "	0	18	0 "
" 19.	6 6 "	1	10	0 "
" 20.	6 6 "	1	10	0 "
" 21.	6 6 "	2	13	0 "

° Drawn to 3/4 in. scale.

Stays, scrolls, and frames to carry lanterns, and ladder bars, are not included in above prices, unless shown in the engraving.

Lanterns in tin and copper frames to order.

Special estimates for quantities.



HART, SON, PEARD AND CO., GROSVENOR FOUNDRY, GROSVENOR ST., BIRMINGHAM.



SCHOOL FURNITURE.

FORM STANDARDS.

		Height.		Primed s. d.
No. 1.	...	1ft. 2in.	...	1 9 each.
" 1.	...	1 " 4 "	...	2 0 "
" 2.	...	1 " 3 "	...	2 3 "
" 2.	...	1 " 5 "	...	2 6 "

Stained Deal top and bearer—

	8½ × 1¼	...	1 0 pr ft.
"	10½ × 1¼	...	1 4 "

DESK STANDARDS.

No. 11.	...	2ft. 2in.	...	3 0 each.
" 11.	...	2 " 4 "	...	3 6 "
" 12.	...	2 " 6 "	...	5 6 "

Stained Deal top and bearer for No 11 1 4 pr.ft.

" " " " 12 2 6 "

BENCH STANDARDS.

No. 4.	...	1ft. 4in.	...	4 6 each.
" 4.	...	1 " 6 "	...	5 0 "
" 5.	...	1 " 5 "	...	7 6 "
" 6.	...	1 " 5 "	...	12 0 "

If with book board brackets cast on, 6d. each extra.

Stained deal seat and rails	No. 4	...	1 8 pr.ft.
	" 5	...	2 3 "
	" 6	...	2 6 "

The screwing together of standards and woodwork *after* transit facilitates packing, and lessens cost of carriage. When desired to be done before there will be a small additional charge.

Wood work less than 8ft. long not charged at above rates.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 to 58, WYCH STREET, W.C., LONDON.

RAIN WATER PIPE HEADS.

No. 2.	angle	For Pipe.	Primed.
		2 1/2 in. to 4 in. diam.	s. d. 8 9 each.
" 3.	"	4 " X 2 1/2 " ...	10 0 "
" 4.	flat	2 1/2 " to 4 " diam.	9 6 "
" 5.	"	4 " X 3 " ...	13 0 "
" 6.	"	5 " diam.	11 6 "
" 7.	"	3 " to 4 1/2 " "	11 6 "
" 8.	"	3 " to 4 " "	12 0 "
" 9.	"	4 " X 2 1/2 " ...	10 6 "
" 10.	angle	3 1/2 " diam.	11 0 "
" 11.	flat	{ 4 in. round or	... 13 6 "
" 11.	angle	{ square }	... 12 6 "
" 12.	"	4 1/2 in. X 3 in.	... 12 6 "
" 13.	"	3 " to 4 " diam.	12 0 "
" 14.	"	3 1/2 " "	11 0 "
" 15.	"	3 1/2 " "	15 6 "
" 16.	angle	3 1/2 " square	16 6 "
" 16.	flat	3 1/2 " "	18 6 "


Heads of other sizes to above designs, and for other sizes of pipes can be supplied at proportionate prices.

ALPHABETS FOR FACIAS, &c.

O. F. Roman or H. R. Block.

	d.	s. d.
4 inch ...	4 each ...	3 6 per dozen.
6 " ...	6 " ...	5 6 "
8 " ...	8 " ...	7 6 "
10 " ...	10 " ...	9 6 "
12 " ...	14 " ...	13 0 "

Larger and ornamental alphabets to order.




O. F. ROMAN.

H. R. BLOCK.

A B C D E F G H I J K L M N

HART, SON, PEARD AND CO., GROSVENOR FOUNDERY, GROSVENOR ST., BIRMINGHAM.



GRAVE CROSSES.

No.	Height. ft. in.		Primed.		Decorated.	
			£	s. d.	£	s. d.
No. 011	2 3	...	7	0 each	7	0 each
„ 012	1 8	...	8	6 „	12	6 „
„ 013	2 10	...	1	1 0 „	1	10 0 „
„ 014	3 0	...	1	6 0 „	1	17 0 „
„ 014	{ 2 3 without base stays }	...	10	6 „	15	0 „
„ 015	3 6	...	1	10 0 „	2	2 0 „
„ 015	{ 2 6 without base stays }	...	17	6 „	1	2 6 „
„ 016	3 8	...	1	15 0 „	2	10 0 „
„ 017	2 6	...	13	6 „	12	0 „
„ 017	{ 2 3 without base stays }	...	9	0 „	12	0 „
„ 018	2 6	...	10	0 „	14	0 „
„ 019	2 6	...	1	15 0 „	2	15 0 „
„ 020	2 5	...	2	0 0 „	3	0 0 „
„ 021	1 3	...	10	0 „	1	0 0 „
„ 022	1 6	...	12	0 „	1	2 6 „

Several of these Crosses may be made with a long shank to drive directly into the ground.

HART, SON, PEARD AND CO., IRON FOUNDERS, 53 TO 58, WYCH STREET, W.C., LONDON

HART, SON, PEARD AND CO.,
Wholesale, Export, and Manufacturing Ironmongers.

ENAMEL PAINTERS AND GILDERS.

PATENTEES AND MANUFACTURERS OF THE
PATENT PISTON SPRING-BOLT (REVERSING) MORTICE & OTHER LOCKS,

And New Patent UNIVERSAL SECURE Spindled Lock Furniture

PROPRIETORS AND MANUFACTURERS OF
PITT'S, AND CLARK'S, PATENT SPINDLED LOCK FURNITURE.

ROBINSON'S PATENT DOUBLE-ACTION SPRING CENTRE HINGES FOR SWING DOORS.

IMPROVED PATENT (SPRATT'S) LIGHTNING CONDUCTORS.

M'HAFFIE'S PATENT SELF-ACTING VENTILATORS FOR THE ADMISSION OF FRESH AIR.

ALSO MANUFACTURERS OF

ARNOTT'S, SHERINGHAM'S, SLIDING AND REVOLVING VENTILATORS.

IMPROVED STAYS, FASTENINGS, AND ESPAGNIOLETTE BOLTS FOR CASEMENTS, &C.

PAGET'S PATENT CLEATS, AND

IRONMONGERY FOR MODEL COTTAGES,

Adopted by the Society for Improving the condition of the Labouring Classes.

53 to 58, WYCH STREET, STRAND, W.C., } LONDON.
& 168, REGENT STREET, W.,

GROSVENOR WORKS, } BIRMINGHAM.
GROSVENOR STREET,

